**C** SOFTCARE

# SAFETY DATA SHEET ETANA STOP

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company /	
undertaking	
Date issued	28.04.2021
1.1. Product identifier	
Product name	ETANA STOP
UFI	N8Q0-J08M-200H-594S
GTIN No.	6416977714491
1.2. Relevant identified us	es of the substance or mixture and uses advised against
Use of the substance / preparation	Additive for surface treatment.
Main intended use	PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)
Industrial use	Yes
Professional use	Yes
Consumer use	Yes
1.3. Details of the supplier	of the safety data sheet
Company name	Oy Soft Protector Ltd
Postal address	PL 100
Postcode	02761
City	Espoo
Country	Finland
Telephone number	+358 9 887 0430
Email	info@softcare.fi
Website	www.softcare.fi
Enterprise No.	0834157-1
1.4. Emergency telephone	number
Emergency telephone	Telephone number: +358 800 147 111 or +358 9 471 977 Description: Poison Information Centre (in Finland), P.O. Box 790

(Tukholmankatu 17), 00029 HUS Open 24 hours a day.

Telephone number: 112 Description: Emergency telephone number (in Finland) Open 24 hours a day.

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture		
CLP classification, notes	In accordance with CLP/GHS regulation (EC) No 1272/2008, the product has no been classified as hazardous.	
2.2. Label elements		
Other label information (CLP)	No labeling. In accordance with current regulations, this product has not been classified as hazardous.	
2.3. Other hazards		
PBT / vPvB	For results of PBT and vPvB assessment, see point 12.5.	
Other hazards	Endocrine disrupting properties: None reported.	

# **SECTION 3: Composition / information on ingredients**

3.2. Mixtures	
Substance comments	The product does not contain ingredients classified as hazardous to health or the environment at concentrations exceeding the concentration limits for listing such ingredients. The product contains small quantities of ethanol (CAS 64-17-5), potassium hydroxide (CAS 1310-58-3) ja sodium carbonate (CAS 497-19-8).

### **SECTION 4: First aid measures**

4.1. Description of first aid measures		
General	If medical advice is needed, have product container or label at hand. If the situation is unclear or symptoms persist, seek medical attention.	
Inhalation	Fresh air and rest. If symptoms occur, move exposed person to fresh air. Get medical attention if symptoms persist or are severe.	
Skin contact	Rinse skin with water/shower. If skin irritation or other symptoms occur, seek medical attention.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Remove contact lenses, if present and easy to do, and continue rinsing. Contact physician if irritation persists.	
Ingestion	Do NOT induce vomiting. Rinse the mouth and give 1-2 glasses of water to drink. Contact a doctor. If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person.	

#### 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects None known. Delayed symptoms and effects

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other information

No specific instructions. Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media Suitable extinguishing media Dry chemical, carbon dioxide or foam.

Improper extinguishing media Do not use water to extinguish fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	No specific hazards.
Hazardous combustion products	In the event of fire, health hazardous and toxic gases may be formed. Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters		
Personal protective equipment	Wear appropriate protective equipment and self-contained breathing apparatus.	

#### SECTION 6: Accidental release measures

6.1. Personal precautions	, protective equipment and emergency procedures	
General measures	Remove all ignition and heat sources. Stop leak if safe to do so. Ensure adequate ventilation. Keep unnecessary and unprotected people from entering.	
Personal protection measures	Do not smoke or use open fire, or other sources of ignition. Wear appropriate personal protective equipment.	
6.2. Environmental precau	utions	
Environmental precautionary measures	Avoid release into drains, sewers, waterways or soil.	
6.3. Methods and material for containment and cleaning up		
Clean up	Absorb spill with inert material (e.g. sand, diatomaceous earth, commercial absorbent) and collect in clearly labeled containers for disposal. Ensure adequate ventilation. Do not absorb in sawdust or other combustible materials.	
6.4. Reference to other se	ctions	
Other instructions	Safe handling: see point 7. Personal protective equipment: see point 8.	

Waste disposal: see point 13.

## **SECTION 7: Handling and storage**

	en ell'en e	
7.1. Precautions for safe h	andling	
Handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapours or mist. Ensure adequate ventilation. Static electricity and formation of sparks must be prevented.	
Protective safety measure	S	
Safety measures to prevent fire	Take precautionary measures (e.g. earthing) against static discharges and sparks.	
Advice on general occupational hygiene	Handle in accordance with good industrial hygiene and safety practices. Was hands before breaks and at the end of workday. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.	
7.2. Conditions for safe storage, including any incompatibilities		
	orage, meruaning any meonipationnes	
Storage	Store away from food, drink and animal feedstuffs. Keep out of reach of children. Keep containers tightly closed and upright to prevent leakage.	
Conditions to avoid	Protect from heat and direct sunlight. Protect from freezing. For incompatible materials see point 10.5.	
Conditions for safe storag	e	
Technical measures and storage conditions	Store in a cool, dry, well-ventilated area. Store protected from direct sunlight. Protect from freezing. Store locked up.	
Requirements for storage rooms and vessels	Keep only in original container. Keep containers tightly closed and upright to prevent leakage. Use appropriate containment to avoid environmental contamination. Store in area suitable for the storage of flammable substances.	
Storage temperature	Value: 5 – 35 °C	
7.3. Specific end use(s)		

# SECTION 8: Exposure controls / personal protection

None reported.

## 8.1. Control parameters

Specific use(s)

Substance	Identification	Exposure limits	TWA Year
Potassium hydroxide	CAS No.: 1310-58-3	Limit value (short term) Value: 2 mg/m <sup>3</sup>	TWA Year: 2018
Ethanol	CAS No.: 64-17-5	Country of origin: Finland Limit value (8 h) : 1000 ppm Limit value (8 h) : 1900 mg/ m <sup>3</sup> Limit value (short term) Value: 1300 ppm Limit value (short term) Value: 2500 mg/m <sup>3</sup> Country of origin: United Kingdom Limit value (8 h) : 1000 ppm	

	Limit value (8 h) : 1920 mg/ m <sup>3</sup> Country of origin: Estonia Limit value (8 h) : 500 ppm Limit value (8 h) : 1000 mg/ m <sup>3</sup> <b>Limit value (short term)</b> Value: 1000 ppm <b>Limit value (short term)</b> Value: 1900 mg/m <sup>3</sup>	
DNEL / PNEC		
Substance	Sodium carbonate	
DNEL	Group: Professional Route of exposure: Long-term inhalation (local) Value: 10 mg/m³	
	<b>Group:</b> Consumer <b>Route of exposure:</b> Acute inhalation (local) <b>Value:</b> 10 mg/m³	
8.2. Exposure controls		
Precautionary measures t	to prevent exposure	
Technical measures to prevent exposure	Ensure adequate ventilation. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Ensure that eye wash facilities and emergency shower are located near work station.	
Eye / face protection		
Suitable eye protection	Wear tight-fitting goggles or face shield. EN 166. EN 172. ISO 4007.	
Eye protection, comments	Clean daily and disinfect regularly according to the manufacturer's instructions.	
Hand protection		
Suitable gloves type	Use appropriate chemical-resistant, impervious gloves. EN 374. EN 420.	
Hand protection, comments	Immediately replace protective gloves that has any signs of wear.	
Skin protection		
Suitable protective clothing	Wear appropriate chemical-resistant, impervious protective clothing and footwear. ISO 13688. ISO 20342. ISO 20344.	
Respiratory protection		
Respiratory protection necessary at	In case of inadequate ventilation use suitable respirator. If it is not possible to reduce exposure levels to below exposure limit values by ventilation, use appropriate respirator.	
Additional respiratory protection measures	All handling to take place in well-ventilated area.	

#### Appropriate environmental exposure control

Environmental exposure controls Prevent entry into drains, sewers, waterways or soil.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Fluid.
Colour	Cream.
Odour	Characteristic.
Odour limit	Comments: Unknown.
рН	Value: 9,8 -10,4
Melting point / melting range	Comments: Unknown.
Boiling point / boiling range	Value: 96 °C
Flash point	Value: 87 °C
Evaporation rate	Comments: Not determined.
Flammability	Unknown.
Explosion limit	Comments: Unknown.
Vapour pressure	Value: 2589 Pa Temperature: 20 °C
	Value: 13424 Pa Temperature: 50 °C
Vapour density	Comments: Unknown.
Relative density	Value: 1 Temperature: 20 °C
Density	Value: 978 kg/m³ Temperature: 20 °C
Solubility	Comments: Unknown.
Auto-ignition temperature	Value: 423 °C
Viscosity	Value: 2,06 cP Temperature: 20 °C Type: Dynamic
	Value: 2,1 cSt Temperature: 20 °C Type: Kinematic
Explosive properties	Not classified as explosive.
Oxidising properties	Not classified as oxidising.

## 9.2. Other information

#### 9.2.2. Other safety characteristics

Comments

None reported.

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Not reactive under normal use and storage conditions.	
10.2. Chemical stability		
Stability	Chemically stable under normal storage conditions.	
10.3. Possibility of hazard	ous reactions	
Possibility of hazardous reactions	No dangerous reactions under normal use and storage conditions.	
10.4. Conditions to avoid		
Conditions to avoid	None known.	
10.5. Incompatible materials		
Materials to avoid	No known incompatible materials.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects		
Substance	Sodium carbonate	
Acute toxicity	Effect tested: LD50 Route of exposure: Oral Value: 4090 mg/kg Animal test species: Rat	
Other toxicological data	The product is not classified as acutely toxic. There is no toxicological data available about the product as such.	

# Other information regarding health hazards

Assessment of skin corrosion / irritation, classification	The product is not classified as irritant or corrosive to skin.
Assessment of eye damage or irritation, classification	The product is not classified as damaging or irritating to eyes.
Sensitisation	The product is not classified as a respiratory or skin sensitiser.
Mutagenicity	The product is not classified as a mutagen.
Carcinogenicity, other information	The product is not classified as a carcinogen.

ETANA STOP - Version 1	Page 8 of 10
Reproductive toxicity	The product is not classified as toxic to reproduction.
Assessment of specific target organ toxicity - single exposure, classification	The product is not classified as toxic to specific target organs at a single exposure.
Assessment of specific target organ toxicity - repeated exposure, classification	The product is not classified as toxic to specific target organs at repeated exposure.
Assessment of aspiration hazard, classification	The product is not classified as an aspiration hazard.
11.2 Other information	

Endocrine disruption	Unknown.
Other information	None reported.

# **SECTION 12: Ecological information**

12.1. Toxicity	
Substance	Sodium carbonate
Aquatic toxicity, fish	Toxicity type: Acute Value: 740 mg/l Effect dose concentration: LC50 Test duration: 96h Species: Gambusia affinis
Substance	Sodium carbonate
Aquatic toxicity, crustacean	Toxicity type: Acute Value: 265 mg/l Effect dose concentration: EC50 Test duration: 48h Species: Daphnia magna
Ecotoxicity	There is no ecotoxicological data available about the product as such. Avoid release to the environment. The product is not classified as hazardous to the environment.
12.2 Paraistones and de	

12.2. Persistence and degradability	
Persistence and degradability description/evaluation	No data recorded.
12.3. Bioaccumulative po	tential
Bioaccumulation, evaluation	No data available.
12.4. Mobility in soil	
Mobility	No data available.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB No information. assessment

Endocrine disrupting properties No information.

#### 12.7. Other adverse effects

Additional ecological information No information.

## **SECTION 13: Disposal considerations**

13.1.	Waste	treatmen	t methods
	114010	u oaunon	

Appropriate methods of disposal for the chemical	Prevent entry into sewers, waterways and soil.	
Appropriate methods of disposal for the contaminated packaging	Dispose of empty containers to an approved waste disposal facility for recycling or disposal.	

Other information

Dispose of in compliance with local and national regulations.

SECTION 14: Transport information		
Dangerous goods	No	
14.1. UN number		
Comments	Not classified as hazardous for transport [ADR (road), RID (rail), ADN (inland waterways) and IMDG (sea)].	
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
14.4. Packing group		
14.5. Environmental haza	ards	
IMDG Marine pollutant	No.	
14.6. Special precautions for user		

14.7. Maritime transport in bulk according to IMO instruments

# **SECTION 15: Regulatory information**

This document is created with Publisher (EcoOnline)

# 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations

No specific regulations.

#### 15.2. Chemical safety assessment

Chemical safety assessment No performed

# SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)	H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation.
Training advice	Read safety data sheet. Refer to the product manual.
Key literature references and sources for data	Product specifications by manufacturer Decree on Concentrations known to be Hazardous 654/2020 (HTP-arvot 2020), Finland
Abbreviations and acronyms used	DNEL: Derived No-Effect Level EC50: Effective concentration: concentration which kills or immobilises 50 % of exposed organisms HTP: Concentrations known to be Hazardous. LC50: Lethal concentration 50 % (median lethal concentration): concentration which kills 50 % of exposed organisms LD50: Lethal dose 50 % (median lethal dose): dose which kills 50 % of exposed organisms PNEC: Predicted No-Effect Concentration
Version	1
Prepared by Comments	Sweco Industry Oy
	The information of this safety data sheet is based on existing public information sources, such as current legislation, available at the time of publication of the completed safety data sheet, and information on the Customer's products that has been provided by the Customer to Sweco. The Customer is responsible that

the information provided to Sweco is accurate and up to date.